MET-TRACK®



WORKSTATION CRANES



WORKSTATION JIB CRANES



WORKSTATION MONORAILS




FALL ARREST & RESTRAINT

ENCLOSED TRACK
MECHANICAL HANDLING & SAFETY SOLUTIONS


ENCLOSED TRACK MECHANICAL HANDLING & SAFETY SOLUTIONS





- Low cost
- Simple to install and extend
- Large range of mounting options
 Ceiling & Floor Mount Options
- Motorized tractor units
- Track transfer units





*Supplied with a Direct Mount Base Plate suitable for mounting to a 6" Reinforced concrete foundation.

SAFETRACK®FALL ARREST & FALL RESTRAINT

- Rigid Rail Fall Arrest Track
- Suitable for Fall Arrest & Fall Restraint
- Support Centres up to 39ft
- Up to 8 users
- Zero track deflection
- Minimal fall distance / Less fall clearance
- Reduced risk of secondary fall injuries

APPLICATIONS		FALL ARREST				FALL RESTRAINT	
	★ x2	★ x4	★ x8		★ x2	★ x4	
PROFILE		USERS	USERS	ANGLE	USERS	USERS	
400	36"			0°	59"	47"	
500	72"			30°	98"	78"	
600	156"			30°	157"	118"	
400SIAB	196″			15°			
500SIAB	314"	236″		30/15°			
600SIAB		472"		30°			
500DUAL	236"			30°			
600DUAL		392"		30°			
AL360	156″	136″	98″	15°	118″	59"	
AL700	236"	236″		30°	236″	236"	
	400 500 600 400SIAB 500SIAB 600SIAB 500DUAL 600DUAL AL360	USERS 400 36" 500 77 600 15 400SIAB 196" 500SIAB 314" 600SIAB 47 500DUAL 600DUAL AL360 156"	USERS USERS 400 36" USERS 400 72" 600 156" 400SIAB 196" 500SIAB 314" 236" 600SIAB 472" 500DUAL 236" 600DUAL 392" AL360 156" 136"	USERS USERS USERS 400 36" USERS 500 72" 600 156" 400SIAB 196" 500SIAB 314" 236" 600SIAB 472" 314" 500DUAL 236" 600DUAL 392" AL360 156" 136" 98"	X2	x2	





MET-TRACK® FESTOON SYSTEMS

Safe & Economical means of supplying power to cranes, hoists and moving machinery

- Simple to install or modify
- Minimum maintenance
- Large range of mounting brackets
- Track curves
- Enclosed self-cleaning track
- Suitable for carrying Flatform & Roundform Cables



